ELSEVIER

Journal of Immunological Methods 184 (1995) 287–288

JOURNAL OF IMMUNOLOGICAL METHODS

Contents to volume 184 (1995)

Number 1 – 19 July 1995

Research reports

Antibody to folic acid: increased specificity and sensitivity in ELISA by using ε-aminocaproic acid modified BSA as the carrier protein
J. Das Sarma, C. Duttagupta, E. Ali and T.K. Dhar (India) 1

Direct microtitre plate enzyme immunoassay of folic acid without heat denaturation of serum
J. Das Sarma, C. Duttagupta, E. Ali and T.K. Dhar (India) 7

Isolation and characterization of brain microvascular endothelial cells from *Saimiri* monkeys. An in vitro model for sequestration of *Plasmodium falciparum*-infected erythrocytes
F. Gay, C. Robert, B. Pouvelle, S. Peyrol, A. Scherf and J. Gysin (France) 15

An improved assay for antibody dependent cellular cytotoxicity based on time resolved fluorometry
A.K. Patel and P.N. Boyd (UK) 29

A novel assay for apoptosis. Flow cytometric detection of phosphatidylserine expression on early apoptotic cells using fluorescein labelled Annexin V
I. Vermes, C. Haanen, H. Steffens-Nakken and C. Reutelingsperger (Netherlands) 39

Measurement of methemoglobin formation from oxyhemoglobin. A real-time, continuous assay of nitric oxide release by human polymorphonuclear leukocytes
G. Lärfars and H. Gyllenhammar (Sweden) 53

A simple method based on PCR for detecting the relative mRNA amounts of the four mouse IgG subclasses
M. Ono, T. Yamamoto and M. Nose (Japan) 63

Optimization of conditions for specific binding of antibody-coated beads to cells
D. Patel and D. Rickwood (UK) 71

Isolation of human blood dendritic cells by discontinuous Nycodenz gradient centrifugation
A.D. McLellan, G.C. Starling and D.N.J. Hart (New Zealand) 81

New monoclonal antibodies directed against the propart segment of human prorenin as a tool for the exploration of prorenin conformation
P. Cohen, D. Simon, G. Badouaille, J.-C. Mani, J.-M. Portefaix and B. Pau (France) 91

Biotinylation of interleukin-2 (IL-2) for flow cytometric analysis of IL-2 receptor expression. Comparison of different methods
M.O. De Jong, H. Rozemuller, J.G.J. Bauman and J.W.M. Visser (Netherlands, USA) 101

Allergen-induced histamine release in rat mast cells transfected with the α subunits of FcεRI
J. Lowe, P. Jardieu, K. VanGorp and D.T.W. Fei (USA) 113

Rapid expression of an anti-human C5 chimeric Fab utilizing a vector that replicates in COS and 293 cells
M.J. Evans, S.L. Hartman, D.W. Wolff, S.A. Rollins and S.P. Squinto (USA) 123

Short communication

Monoclonal antibody mediated capsular reactions (Quellung) in *Cryptococcus neoformans*
J. Mukherjee, W. Cleare and A. Casadevall (USA) 139

Book review 145

Notes to authors 147

Number 2 – 18 August 1995

Research reports

Simple assay for evaluation of Epstein-Barr virus specific cytotoxic T lymphocytes
M. Okano and D.T. Purtilo (Japan, USA) 149

A platelet monoclonal antibody inhibition assay for detection of glycoprotein IIb/IIIa-related platelet alloantibodies
A.P. Reiner, G. Teramura, K.A. Nelson and S.J. Slichter (USA) 153

Optimizing whole blood lymphocyte proliferation in the rat
A.A. Fasanmade and W.J. Jusko (USA) 163

A combined approach for quantitation of each specific HLA-A or -B antigen expressed on cells
D.C. Shieh and K.J. Kao (USA) 169

Conversion of murine Fabs isolated from a combinatorial phage display library to full length immunoglobulins
R.S. Ames, M.A. Tornetta, K. Deen, C.S. Jones, A.M. Swift and S. Ganguly (USA) 177

Chemotaxis of T lymphocytes on extracellular matrix proteins. Analysis of the in vitro method to quantitate chemotaxis of human T cells
D.D. Taub, M.L. Key, D. Clark and S.M. Turcovski-Corrales (USA) 187

Development of a sensitive and specific time resolved fluorimetric immunoassay for the bovine acute phase protein haptoglobin (Hp)
J. McNair, C.T. Elliott and D.P. Mackie (UK) 199

Assessment of the functional affinity constant of monoclonal antibodies using an improved enzyme-linked immunosorbent assay
E.E.M.G. Loomans, A.J.M. Roelen, H.S. Van Damme, H.P.J. Bloemers, T.C.J. Gribnau and W.J.G. Schielen (Netherlands) 207

PCR-based analysis of the murine immunoglobulin heavy-chain repertoire
S. Delassus, A. Gey, S. Darche, A. Cumano, C. Roth and P. Kourilsky (France) 219

Sandwich immunoassay specific for the N-terminal sequence of osteocalcin
H. Eguchi, K. Hosoda, N. Kurihara, T. Nakamoto, S. Kobayashi, M. Arita, R. Hasegawa, T. Ohta, M. Kiyoki, T. Yamaji and M. Shiraki (Japan) 231

Purification and optimization of functional reconstitution on the surface of leukemic cell lines of GPI-anchored Fcγ receptor III
S. Nagarajan, M. Anderson, S.N. Ahmed, K.W. Sell and P. Selvaraj (USA) 241

Novel isolation and purification method permitting functional cytotoxicity studies of macrophages from milky spots in the greater omentum
L.F.G. Krist, M. Kerremans, H. Koenen, N. Blijleven, I.L. Eestermans, W. Calame, S. Meyer and R.H.J. Beelen (Netherlands) 253

Determination of transforming growth factor β_2 in human blood samples by ELISA
C.H. Szymkowiak, I. Mons, W.L. Gross and J. Kekow (Germany) 263

Detection of antigens in immune complexes by a dot blot assay
R. Nezlin and E. Mozes (Israel) 273

Letters to the editors

Reaction to Vowells et al. (J. Immunol. Methods 178 (1995) 89–97)
J.A. Smith (Australia) 277

Reply to the letter of J.A. Smith
S.J. Vowells and T.A. Fleisher (USA) 279

Granulocyte/macrophage colony-stimulating factor is expressed and secreted in cultures of murine L929 cells
M.D. Englen, Y.E. Valdez, N.M. Lehnert and B.E. Lehnert (USA) 281

Announcements 285

Contents to volume 184 (1995) 287

Notes to authors 289